

	Type	Hits	Search Text	DBs
1	BRS	48	4,996,646	USPAT; US-PGPUB
2	BRS	3	6,297,939	USPAT; US-PGPUB
3	BRS	3	6,167,329	USPAT; US-PGPUB
4	BRS	557	361/64	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	0	multi adj zone same breaker and low adj current	USPAT; US-PGPUB
6	BRS	0	multi adj zone same breaker and low adj (current threshold)	USPAT; US-PGPUB
7	BRS	8	multi adj zone same breaker	USPAT; US-PGPUB
8	BRS	0	multi adj zone same breaker and current adj (reduce reduction reducing)	USPAT; US-PGPUB
9	BRS	0	multi adj zone same breaker and current adj (low lower lowering reduce reduction reducing)	USPAT; US-PGPUB
10	BRS	0	(multi multiple plural) adj zone same breaker and current adj (reduce reduction reducing low lower lowering)	USPAT; US-PGPUB
11	BRS	10	(multi multiple plural) adj zone same breaker	USPAT; US-PGPUB
12	BRS	10	(multi multiple plural) adj (zones zone) same breaker	USPAT; US-PGPUB
13	BRS	217	circuit adj breaker and (upstream downstream) same (communication communicating communicate)	USPAT; US-PGPUB
14	BRS	6	circuit adj breaker and (upstream downstream) same (communication communicating communicate) and current adj (reduce reduction resucing low lower lowering)	USPAT; US-PGPUB
15	BRS	86	circuit adj breaker same (computer microprocessor processor) same (communicationcommunicating communicate)	USPAT; US-PGPUB
16	BRS	240	circuit adj breaker same (computer microprocessor processor) same (communication communicating communicate)	USPAT; US-PGPUB

	Time Stamp	Comments	Error Definition	Errors
1	2003/10/21 14:32			0
2	2003/09/09 16:40			0
3	2003/09/09 17:03			0
4	2003/09/09 17:03			0
5	2003/09/10 09:36			0
6	2003/09/10 09:35			0
7	2003/09/10 09:38			0
8	2003/09/10 09:37			0
9	2003/09/10 09:37			0
10	2003/09/10 09:39			0
11	2003/09/10 09:41			0
12	2003/09/10 09:42			0
13	2003/09/10 09:43			0
14	2003/09/10 09:49			0
15	2003/09/10 09:50			0
16	2003/09/10 09:51			0

	Type	Hits	Search Text	DBs
17	BRS	134	circuit adj breaker same (computer microprocessor processor) same (communication communicating communicate)and current same (low lower lowering reduce redicing reduced)	USPAT; US-PGPUB
18	BRS	90	circuit adj breaker same (computer microprocessor processor) same (communication communicating communicate)and current same (low lower lowering reduce redicing reduced) and delay	USPAT; US-PGPUB
19	BRS	2	("4535409"   "5162664").PN.	USPAT
20	BRS	3	5373412.URPN.	USPAT
21	BRS	35	circuit adj breaker same (computer microprocessor processor) same (communication communicating communicate)and high adj impedance	USPAT; US-PGPUB
22	BRS	578	361/93.1	USPAT; US-PGPUB
23	BRS	253	361/93.2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	48	4,996,646	USPAT; US-PGPUB
25	BRS	299	circuit adj breaker same (computer microprocessor processor) same (communication communicating communicate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	7	circuit adj breaker same (computer microprocessor processor) same (communication communicating communicate) and current adj2 lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	2160	circuit adj breaker and trip and distribution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	103	circuit adj breaker and trip and distribution and current adj3 lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	22	circuit adj breaker and trip and distribution and communication and current adj3 lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	16	circuit adj breaker and trip and distribution and communication and current adj2 lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	26	3,,558,983	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
17	2003/09/10 09:52			0
18	2003/09/10 11:02			0
19	2003/09/10 10:23			0
20	2003/09/10 10:28			0
21	2003/09/10 11:56			0
22	2003/09/10 11:56			0
23	2003/09/10 13:08			0
24	2003/10/21 09:55			0
25	2003/10/21 10:06			0
26	2003/10/21 10:23			0
27	2003/10/21 10:24			0
28	2003/10/21 10:24			0
29	2003/10/21 10:27			0
30	2003/10/21 10:36			0
31	2003/10/21 10:33			0

	Type	Hits	Search Text	DBs
32	BRS	26	3,558,983	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	16	circuit adj breaker and trip and network and communication and current adj2 lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	29	circuit adj breaker and network and communication and current adj2 lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	9	("4419619"   "4535409"   "4680706"   "4709339"   "4717985"   "4747061"   "4783748"   "4794369"   "4803635").PN.	USPAT
36	BRS	44	4996646.URPN.	USPAT
37	BRS	10	("4428022"   "4672555"   "4996646"   "5233538"   "5420799"   "5500781"   "5524083"   "5525985"   "5600527"   "6005757").PN.	USPAT
38	BRS	10	"2688951"	USPAT; US-PGPUB
39	BRS	14	"2688951"	USPAT; US-PGPUB; EPO; JPO; DERWENT
40	BRS	26	"96601"	USPAT; US-PGPUB; EPO; JPO; DERWENT
41	BRS	35	4,216,384	USPAT; US-PGPUB; EPO; JPO; DERWENT
42	BRS	7227	(power electrical) adj distribution and communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	1569	(power electrical) adj distribution and communication and relay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	709	(power electrical) adj distribution and communication and relay and delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	658	(power electrical) adj distribution and communication and relay and delay and current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	6	(power electrical) adj distribution and communication and relay and delay and current adj lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	10	(power electrical) adj distribution and communication and relay and delay and current adj2 lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
32	2003/10/21 10:33			0
33	2003/10/21 10:42			0
34	2003/10/21 10:42			0
35	2003/10/21 10:47			0
36	2003/10/21 10:52			0
37	2003/10/21 10:55			0
38	2003/10/21 14:33			0
39	2003/10/21 14:43			0
40	2003/10/21 14:34			0
41	2003/10/21 14:44			0
42	2003/10/21 14:53			0
43	2003/10/21 14:53			0
44	2003/10/21 14:54			0
45	2003/10/21 14:54			0
46	2003/10/21 14:58			0
47	2003/10/21 15:41			0

	Type	Hits	Search Text	DBs
48	BRS	55	4,996,646	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	7	(power electrical) adj distribution and communication and relay and delay and undercurrent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	14	3,970,898	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	14	3,970,898	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	8	3,970,898 and tie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	1075	circuit adj breaker and isolator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	48	circuit adj breaker and isolator and tie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	1113	circuit adj breaker and tie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	48	circuit adj breaker and tie and isolator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	26	5,341,268	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	11	5,341,268 and tie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	BRS	19	5,303,112	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	564	361/64	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	391	361/67	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	346	361/68	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	369	361/72	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	BRS	579	361/64	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
48	2003/10/21 16:38			0
49	2003/10/21 16:38			0
50	2003/10/21 16:38			0
51	2003/10/22 11:17			0
52	2003/10/22 11:36			0
53	2003/10/22 11:36			0
54	2003/10/22 11:36			0
55	2003/10/22 11:37			0
56	2003/10/22 15:11			0
57	2003/10/22 15:14			0
58	2003/10/22 15:20			0
59	2003/10/22 15:21			0
60	2003/10/22 17:00			0
61	2003/10/23 08:47			0
62	2003/10/23 17:18			0
63	2003/10/24 12:37			0
64	2004/03/29 13:53			0



	Type	Hits	Search Text	DBs
65	BRS	1144	breakers same contacts same distribution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	169	(breakers same contacts same distribution) same main	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	BRS	13814	(breakers breaker) same branch branches same distribution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	BRS	746	(breakers breaker) same (branch branches) same distribution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	3197	opening adj (current threshold limit rating)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	0	(breakers breaker) same (branch branches) same distribution same (opening adj (current threshold limit rating))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	BRS	0	(opening adj (current threshold limit rating))same ((breakers breaker) same (branch branches) same distribution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	BRS	0	(opening adj (current threshold limit rating))and ((breakers breaker) same (branch branches) same distribution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	BRS	1	(opening adj (current threshold limit rating))same ((breakers breaker) same (branch branches))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	BRS	1034	(current threshold limit rating) same (breakers breaker) same (branch branches)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	BRS	169	(breakers same contacts same distribution) same main	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	BRS	15	(breakers same contacts same distribution) same (protect near2 breaker)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
77	BRS	4	protects adj1 breaker adj contacts	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	BRS	0	protectingt adj1 breaker adj contacts	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
65	2004/03/29 14:13			0
66	2004/03/29 14:14			0
67	2004/03/29 14:15			0
68	2004/03/29 14:16			0
69	2004/03/29 14:15			0
70	2004/03/29 14:17			0
71	2004/03/29 14:21			0
72	2004/03/29 14:20			0
73	2004/03/29 14:21			0
74	2004/03/29 14:23			0
75	2004/03/29 14:24			0
76	2004/03/29 14:28			0
77	2004/03/29 14:32			0
78	2004/03/29 14:32			0

	Type	Hits	Search Text	DBs
79	BRS	5	protecting adj1 breaker adj contacts	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	BRS	711141	"67"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
81	BRS	399	"361/67"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	BRS	353	"361/68"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
83	BRS	377	361/72	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
84	BRS	673	361/93.1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
85	BRS	1	361/93,2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86	BRS	282	361/93.2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
79	2004/03/29 14:32			0
80	2004/03/29 14:33			0
81	2004/03/29 14:34			0
82	2004/03/29 14:34			0
83	2004/03/29 16:54			0
84	2004/03/30 09:33			0
85	2004/03/30 13:20			0
86	2004/03/30 13:20			0